

Structural modification and magnetic properties enhancement with Er^{3+} , of sol-gel TiO_2 thin films

DEHDOUH Heider, BENSAHA Rabah, ZERGOUG Mourad

Abstract : Nano-crystalline un-doped and erbium doped TiO_2 thin films were dip-coated on glass substrates by sol-gel method. The films were annealed at 450 °C during 1 hour. DSC results show that the crystallization effectuates at 339°C for un-doped TiO_2 , whereas for erbium doped TiO_2 the crystallization occurs earlier with two separated exothermic. XRD diagrams illustrate that un-doped and erbium doped TiO_2 crystallize in anatase phase only and indicate that the crystallite size decreases from 24 to 21 nm as a function of the increase in Er^{3+} content. This result is confirmed by Raman spectra. Moreover, the VSM results indicate, on one hand, a ferromagnetic behaviour of the un-doped TiO_2 . On the other hand, the incorporation of Erbium leads to an enhancement of the ferromagnetic behaviour. It is worthy to mention that the weak Er^{3+} doping (0.1 at.%) is the high ordered magnetically with highest saturation magnetization of 1.92 memu. Both elaborated TiO_2 and $\text{Er}:\text{TiO}_2$ films show good structural properties and have a diluted magnetic semiconductors structure. The films are promising for the possible applications in optoelectronic devices.

Keywords : TiO_2 doped Er^{3+} , Structural properties, sol-gel, Magnetic Properties, oxygen vacancies.