

Effect of heat treatment on microstructure and tribological behavior of friction stir processed Al₂O₃-reinforced AA2024-T351 matrix

Adel Haddad, Abdessabour Benamor, Nabil Chiker, Youcef Hadji, Mustapha Temmar, Maamar HAKEM, Riad BADJI, Said ABDI, Mohamed HADJI

Abstract: In the present work, 2024-T351 Al alloy reinforced with alumina particulates (Al₂O₃p) was elaborated using friction stir processing (FSP). The effect of solution heat treatment followed by subsequent aging on microstructure, hardness, and tribological behavior is discussed. It was noticed that the hardness of the as-FSPed 2024-T351/Al₂O₃p was slightly enhanced in comparison to the as-received AA2024-T351 material, whereas the resulting wear resistance was remarkably improved. After heat treatment process, the composite volume increased, and swelling and pores were created at the processed area. The heat treatment caused a degradation in wear resistance compared to as-FSPed composites. The precipitation mechanism changed for AA2024/Al₂O₃p; reactions occurred at grain boundaries between Al₂O₃ and Cu or Mg, causing their depletion from the Al matrix. Intriguingly, the precipitation mode in heat-affected zone of the matrix also changed to grain boundary precipitation.

Keywords : Friction stir processing, Metalmatrix composites, wear, friction